Product datasheet

Specifications



Pushbutton Interface Basic, Spacelogic KNX, secure, 4 channel, white

MTN6002-0004S

EAN Code: 3606487137429

Main

Range	SpaceLogic KNX
Product or component type	Push-button interface
Device presentation	Complete product
Bus type	KNX
Colour tint	White
Main colour tint	White
Power supply input current	9 mA

Complementary

Device mounting	Flush
Number of channels	4
Offer type	Basic
Control type	Push-button
Surface finish	Glossy
surface treatment	Untreated
Operating mode	KNX bus system
IP degree of protection	IP20
Width	43 mm
Height	28.5 mm
Depth	15.4 mm
Cable length	10 m
Number of inputs	4
Input type	Digital input

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.500 cm
Package 1 Width	7.500 cm
Package 1 Length	7.500 cm
Package 1 Weight	69.000 g
Unit Type of Package 2	S02

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	50
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.797 kg

Logistical informations

Country of origin	DE

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**87 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**36 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.1 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**51 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**742aa773-90f8-499c-9f60-f02cbbc0de1e**
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	**Halogen free product**
PVC free	**PVC-free product**

Use Again

Repack and remanufacture

Recyclability potential, in %	**7**
End of life manual availability	End of Life Information
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**

Image of product / Alternate images

Alternative








Schneider Electric CS 30323
F-92500 Rueil-Malmaison
Made in Germany
Individual address:
BRU34492-01
150000
RN2020W3-2
KNX
TP
S
UK
CA
SL600204


Schneider
Electric
SpaceLogic KNX
PB Interface
Basic, 4ch
MTN6002-0004S
Ch1
Ch2
Ch3
Ch4
Com
GN
YE
WH
PK
BN
Prog.
LED


Schneider Electric CS 30323
F-92500 Rueil-Malmaison
Made in Germany
Individual address:
BRU34492-01
150000
RN2020W3-2
KNX
TP
S
UK
CA
SL600204

